

## Research Article

# $H_\infty$ Fuzzy Control of DC-DC Converters with Input Constraint

**D. Saifia,<sup>1</sup> M. Chadli,<sup>2</sup> S. Labiod,<sup>1</sup> and H. R. Karimi<sup>3</sup>**

<sup>1</sup> LAMEL, Faculty of Science and Technology, University of Jijel, BP. 98,  
Ouled Aissa, 18000 Jijel, Algeria

<sup>2</sup> MIS (EA 4290), Université de Picardie Jules Verne, Rue du Moulin Neuf,  
80000 Amiens, France

<sup>3</sup> Department of Engineering, Faculty of Engineering and Science, University of Agder,  
4898 Grimstad, Norway

Correspondence should be addressed to M. Chadli, mohammed.chadli@u-picardie.fr

Received 6 June 2012; Accepted 9 September 2012

Academic Editor: Peng Shi

Copyright © 2012 D. Saifia et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

This paper proposes a method for designing  $H_\infty$  fuzzy control of DC-DC converters under actuator saturation. Because linear control design methods do not take into account the nonlinearity of the system, a T-S fuzzy model and a controller design approach is used. The designed control not only handles the external disturbance but also the saturation of duty cycle. The input constraint is first transformed into a symmetric saturation which is represented by a polytopic model. Stabilization conditions for the  $H_\infty$  state feedback system of DC-DC converters under actuator saturation are established using the Lyapunov approach. The proposed method has been compared and verified with a simulation example.

## 1. Introduction

The main task of DC-DC converters is the adaptation of the voltage and current levels between sources and loads while maintaining a low power loss in the conversion [1–3]. With the extensive use of DC-DC converters in different industry applications (e.g. power supplies for personal computers, DC-motor drive, telecommunications equipment, etc.), improving their performances has become an interesting problem in recent years [1–17]. Recently, different converter circuits (buck converter, boost converter, buck-boost converter, Cuk converter, etc.) are known. According to each application purpose (increase or decrease the magnitude of the DC voltage and/or invert its polarity), the converter circuit was chosen. Among them, we consider here, the control of the basic Pulse-Width-Modulation (PWM) buck converters, but it could be easily adapted for other converters.

The DC-DC switching power converters are highly nonlinear systems [4, 5, 15, 16]. Consequently, the conventional linear controls based on averaging and linearization techniques [12, 14] will result in poor dynamic performance or system instability. In order to resolve this problem, the fuzzy logic approach has been proposed as an alternative solution [4, 5, 7, 8, 11, 13, 15, 16]. Specifically, in [4, 5], the authors have reported very significant results on the modelling and control of DC-DC converters with T-S fuzzy systems. In [4, 5, 8, 11, 15, 16], authors have proposed methods for designing fuzzy control of DC-DC converters. Nevertheless, in the aforementioned papers, they have not taken into account the inherent nonlinearity of actuator saturation (duty cycle) and the external disturbance. Motivated by this observation, our aim is to use T-S fuzzy systems in order to control a nonlinear DC-DC converter subject to external disturbances and actuator saturation.

The actuator saturation can degrade the performance of the closed-loop system and often make the stable closed-loop system unstable [1, 18–21]. The T-S fuzzy system in the presence of saturation has been receiving increasing attention for control of nonlinear systems [18–29]. In these works, the saturation effect is considered as a symmetric function. This is not the case in DC-DC converter application where the saturation function constrained is between 1 and 0. The solution of this problem proposed in linear control case [2] has been leading to complexity analysis with the nonlinearity of DC-DC converter model. Here, we proposed a simple mathematical transformation to obtain a symmetric saturation.


The  $H_\infty$  approach is used to analyze and to synthesize controllers/observers achieving an optimal level of disturbance attenuation and to guarantee the stability of the closed-loop system. To achieve this goal, the idea is to minimize the  $H_\infty$  norm which represents the maximum value ratio between the output signal energy (controlled output) and the input signal energy (disturbance input). Recently, many researchers have used this approach for control design of T-S fuzzy systems (see for example [20, 21, 30, 31] and their references). In most cases, the quadratic Lyapunov function and linear matrix inequality (LMI) techniques are used to analyze and synthesize of stabilization of T-S fuzzy systems [17–21, 30, 31]. Based on these works, we address the control problem of DC-DC converters via PDC controller with actuator saturation and external disturbance. In this paper, we will use T-S fuzzy systems to represent the DC-DC converters. The control design is based on the parallel distributed compensation (PDC) scheme [32]. The idea is that for each local linear model, a linear feedback control is designed. The control problem is formulated and solved as a LMI optimization problem [33].

This paper is organized as follows. Section 2 gives the averaged model of basic PWM buck converter. Section 3 presents the T-S fuzzy model of the DC-DC converter. Section 4 formulates the conditions for the  $H_\infty$  stabilization of fuzzy control with actuator saturation problem in terms of LMI. The simulation results to show the effectiveness of the proposed method are given in Section 4.

*Notation 1.*  $I_r$  denotes the set  $\{1, 2, \dots, r\}$ ,  $\mathfrak{R}$  denotes the set of real number and  $\mathfrak{R}^{n \times m}$  the set of all  $n \times m$  real matrix.  $M > (\geq, <, \leq)$  is used to denote a symmetric positive definite (positive semidefinite, negative definite, negative semidefinite, resp.) matrix.  $*$  denotes the symmetric bloc matrix,  $X + (*)$  denotes  $X + X^T$ ,  $\times$  denotes the multiplication,  $\text{co}$  denotes the convex hull, and  $\bigcap_{j=1}^r$  is used to denote the intersection of  $r$  sets.

## 2. Averaged Model of Basic PWM Buck Converter

Figure 1 shows the basic circuit of the nonlinear PWM buck converter proposed in [4, 5] with an external disturbance  $i_{\text{load}}(t)$  as proposed in [1, 2].  $R_m$  is the on-state resistance of the



**Figure 1:** Schematic of a basic PWM buck converter.

MOSFET transistor,  $R_L$  is the winding resistance of inductor,  $V_d$  is the threshold voltage of the diode, and  $R_c$  is the equivalent series resistance of the filter capacitor.

By applying the Kirchhoff's voltage law (KVL) and Kirchhoff's current law (KCL) in on-state of the MOSFET transistor case, we obtain

$$\begin{aligned} \begin{bmatrix} \dot{i}_l(t) \\ \dot{v}_c(t) \end{bmatrix} &= \begin{bmatrix} -\frac{1}{L} \left[ R_l + \frac{RR_c}{R + R_c} \right] & -\frac{R}{L(R + R_c)} \\ \frac{R}{C(R + R_c)} & -\frac{1}{C(R + R_c)} \end{bmatrix} \begin{bmatrix} i_l(t) \\ v_c(t) \end{bmatrix} \\ &+ \begin{bmatrix} \frac{1}{L} [V_{in} + R_m i_l(t)] \\ 0 \end{bmatrix} + \begin{bmatrix} \frac{RR_c}{L(R + R_c)} \\ -\frac{R}{C(R + R_c)} \end{bmatrix} i_{load}(t). \end{aligned} \quad (2.1)$$

Now, in off-state of the MOSFET transistor case and by applying of KVL and KCL, we get

$$\begin{aligned} \begin{bmatrix} \dot{i}_l(t) \\ \dot{v}_c(t) \end{bmatrix} &= \begin{bmatrix} -\frac{1}{L} \left[ R_l + \frac{RR_c}{R + R_c} \right] & -\frac{R}{L(R + R_c)} \\ \frac{R}{C(R + R_c)} & -\frac{1}{C(R + R_c)} \end{bmatrix} \begin{bmatrix} i_l(t) \\ v_c(t) \end{bmatrix} \\ &+ \begin{bmatrix} -\frac{V_d}{L} \\ 0 \end{bmatrix} + \begin{bmatrix} \frac{RR_c}{L(R + R_c)} \\ -\frac{R}{C(R + R_c)} \end{bmatrix} i_{load}(t). \end{aligned} \quad (2.2)$$




Figure 2: Membership functions of the T-S fuzzy model.

Using averaging method for one-time scale discontinuous system (AM-OTS-Ds) [9], the global dynamical behavior of the DC-DC converter is modeled as follows:

$$\begin{aligned} \begin{bmatrix} \dot{i}_l(t) \\ \dot{v}_c(t) \end{bmatrix} &= \begin{bmatrix} -\frac{1}{L} \left[ R_l + \frac{RR_c}{R+R_c} \right] & -\frac{R}{L(R+R_c)} \\ \frac{R}{C(R+R_c)} & -\frac{1}{C(R+R_c)} \end{bmatrix} \begin{bmatrix} i_l(t) \\ v_c(t) \end{bmatrix} \\ &+ \begin{bmatrix} \frac{1}{L} [V_{in} + V_d + R_m i_l(t)] \\ 0 \end{bmatrix} d(t) + \begin{bmatrix} -\frac{V_d}{L} \\ 0 \end{bmatrix} + \begin{bmatrix} \frac{RR_c}{L(R+R_c)} \\ -\frac{R}{C(R+R_c)} \end{bmatrix} i_{load}(t), \end{aligned} \quad (2.3)$$

where  $d(t)$  is the duty cycle.

### 3. T-S Fuzzy Model of DC-DC Converter


Our control approach is based on T-S fuzzy models and the robustness of this control depends on the ability of the fuzzy model to represent the real system. In this section our objective is to show the effectiveness of T-S fuzzy model to represent the DC-DC converter.

The T-S fuzzy model has been successfully used to approximate nonlinear systems by interpolation of numerous local linear models [34].


$R_i$ : If  $\xi_1(t)$  is about  $M_{1i}$  and  $\xi_q(t)$  is about  $M_{qi}$  then

$$\begin{aligned} \dot{x}(t) &= A_i x(t) + B_{1i} w(t) + B_{2i} \sigma(t) \\ z(t) &= C_{1i} x(t) + D_{1i} w(t) + D_{2i} \sigma(t) \end{aligned} \quad \text{For } i \in I_r \quad (3.1)$$

in which  $M_{ji}$  is the fuzzy set of  $\xi_i$  in rule  $R_i$ ,  $r$  is the number of if-then fuzzy rules and  $\xi_i(t)$  are the decision variable assumed measurable,  $x(t) \in \mathfrak{R}^n$  is the system state vector,  $\sigma(t) \in \mathfrak{R}^m$  is the saturate control input,  $y(t) \in \mathfrak{R}^p$  is the measurable output,  $z(t) \in \mathfrak{R}^{nz}$  is the controlled output variable, and  $w(t) \in \mathfrak{S}_2$  is the disturbance variable with  $\mathfrak{S}_2 = \{w \in \mathfrak{R}^{nw} \mid \|w\|_2 \leq \bar{w}, \bar{w} > 0\}$ .



**Figure 3:** The nonlinear DC-DC converter responses and its T-S fuzzy representation with initial conditions ( $v_c(0) = 0$  V,  $i_l(0) = 5$  A).



**Figure 4:** The nonlinear DC-DC converter responses and its T-S fuzzy representation with initial conditions ( $v_c(0) = 5$  V,  $i_l(0) = 0$  A).

The global dynamic system is inferred as follows:

$$\begin{aligned} \dot{x}(t) &= \sum_{i=1}^r \mu_i(\xi(t)) (A_i x(t) + B_{1i} w(t) + B_{2i} \sigma(t)), \\ z(t) &= \sum_{i=1}^r \mu_i(\xi(t)) (C_{1i} x(t) + D_{1i} w(t) + D_{2i} \sigma(t)), \end{aligned} \quad (3.2)$$

where

$$\mu_i(\xi(t)) = \frac{\prod_{j=1}^q M_{ji}(\xi_j(t))}{\sum_{i=1}^r \left( \prod_{j=1}^q M_{ji}(\xi_j(t)) \right)}, \quad (3.3)$$




Figure 5: Waveforms of the PWM process.




Figure 6: Response of the output voltage  $v_c(t)$  of PWM buck converter.

$M_{ji}(\xi_j(t))$  is the grade of membership of  $\xi_j(t)$  in  $M_{ji}$ . The normalized activation function  $\mu_i(\xi(t))$  in relation with the  $i$ th submodel is such that

$$\sum_{i=1}^r \mu_i(\xi(t)) = 1 \quad 0 \leq \mu_i(\xi(t)) \leq 1 \quad \forall i \in I_r, \quad (3.4)$$

Among different methods (identification method, linearization around different operating points, or by transformation in nonlinear sector), the method by transformation in nonlinear sector is based on bounded function and gives a minimum number of local models. Here we will use this method to represent the DC-DC converter.

The following Lemma will be used in the sequel of the paper.

**Lemma 3.1.** Let  $f(x(t)) : R \rightarrow R$  is a bounded function, it always exist tow functions,  $\eta_1(x(t))$  and  $\eta_2(x(t))$  and two scalars  $\alpha$  and  $\beta$  such that:

$$f(x(t)) = \alpha \times \eta_1(x(t)) + \beta \times \eta_2(x(t)) \quad (3.5)$$

with

$$\eta_1(x(t)) + \eta_2(x(t)) = 1, \quad \eta_1(x(t)) \geq 0, \quad \eta_2(x(t)) \geq 0. \quad (3.6)$$

In this case, the obtained T-S fuzzy model represents exactly the nonlinear system for  $x \in R^n$  with  $2^{nl}$  locals models where  $nl$  represents the number of local models.

Assuming that,  $I_{l\min} \leq i_l(t) \leq I_{l\max}$  and by Lemma 3.1, the system described by (2.3) is modeled with a two-rules T-S fuzzy system as follows:

Rule 1: if  $i_l(t)$  is about  $I_{\min}$  then:  $\dot{x}(t) = A_m x(t) + B_{m1} i_{\text{load}}(t) + B_{m21} d(t) + D_m$ .

Rule 2: if  $i_l(t)$  is about  $I_{\max}$  then:  $\dot{x}(t) = A_m x(t) + B_{m1} i_{\text{load}}(t) + B_{m22} d(t) + D_m$ .

The overall model of T-S fuzzy system can be given by the following:

$$\dot{x}(t) = A_m x(t) + B_{m1} i_{\text{load}}(t) + B_{m2\mu} d(t) + D_m, \quad (3.7)$$

with  $x_1(t) = i_l(t)$ ,  $x_2(t) = v_c(t)$ ,  $B_{m2\mu} = \sum_{i=1}^2 \mu_i(i_l(t)) B_{m2i}$  and

$$\begin{aligned} A_m &= \begin{bmatrix} -\frac{1}{L} \left[ R_l + \frac{RR_c}{R+R_c} \right] & -\frac{R}{L(R+R_c)} \\ \frac{R}{C(R+R_c)} & -\frac{1}{C(R+R_c)} \end{bmatrix}, & B_{m21} &= \begin{bmatrix} \frac{1}{L} (V_{in} + V_d + R_m I_{l\min}) \\ 0 \end{bmatrix}, \\ B_{m1} &= \begin{bmatrix} \frac{RR_c}{L(R+R_c)} \\ \frac{R}{C(R+R_c)} \end{bmatrix}, & B_{m22} &= \begin{bmatrix} \frac{1}{L} (V_{in} + V_d + R_m I_{l\max}) \\ 0 \end{bmatrix}, & D_m &= \begin{bmatrix} -\frac{V_d}{L} \\ 0 \end{bmatrix}. \end{aligned} \quad (3.8)$$

The membership function is such that

$$\mu_1(i_l(t)) = \frac{-i_l(t) + I_{l\max}}{I_{l\max} - I_{l\min}}, \quad \mu_2(i_l(t)) = \frac{i_l(t) - I_{l\min}}{I_{l\max} - I_{l\min}}. \quad (3.9)$$

To show the effectiveness of the fuzzy model to represent the nonlinear system, we simulate the fuzzy model and the nonlinear system for the same inputs with different initial conditions. The simulation parameters used in this work are as follows [4]:

$$\begin{aligned} R &= 6 \Omega, & R_l &= 48.5 \text{ m}\Omega, & R_c &= 0.16 \Omega, & R_m &= 0.27 \Omega, & V_{in} &= 30 \text{ V}, \\ L &= 98.58 \text{ mH}, & C &= 202.5 \mu\text{F}, & f &= 1 \text{ KH}, & I_{l\min} &= 0 \text{ A}, & I_{l\max} &= 10 \text{ A}, \end{aligned} \quad (3.10)$$

with  $d(t) = 0.5$  and the input current  $i_{\text{load}}(t) = 0.25 \sin(5000t)$ .

Figure 2 shows the membership functions of the fuzzy model. The DC-DC converter responses of nonlinear system (2.3) and T-S fuzzy system (3.7) with initial conditions ( $v_c(0) = 0 \text{ V}$ ,  $i_l(0) = 5 \text{ A}$ ) and ( $v_c(0) = 5 \text{ V}$ ,  $i_l(0) = 0 \text{ A}$ ) are shown in Figures 3 and 4, respectively.

These figures demonstrate that, with different initial conditions, the T-S fuzzy system (2.3) has the same behaviour as the nonlinear system (3.7). This means the satisfactory approximation ability of the fuzzy model.

#### 4. $H_\infty$ Fuzzy Control of DC-DC Converter

In this section, we present an  $H_\infty$  fuzzy approach to the control design of DC-DC converter.

##### 4.1. Saturated Control Analysis

In order to control the output voltage of the DC-DC converter, we define the following variables:

$$e_1(t) = v_c(t) - V_{\text{ref}}, \quad e_2(t) = \dot{e}_1(t), \quad (4.1)$$

where  $V_{\text{ref}}$  is the reference voltage of  $v_c(t)$ .

The time-derivative of  $e_2(t)$  is as follows:

$$\dot{e}_2(t) = \ddot{v}_c(t) = \frac{R}{C(R+R_c)} \dot{i}_l(t) - \frac{1}{C(R+R_c)} \dot{v}_c(t) - \frac{R}{C(R+R_c)} \dot{i}_{\text{load}}(t). \quad (4.2)$$

Using the converter's model defined in (2.3), we have

$$\begin{aligned} \dot{x}(t) &= Ax(t) + B_w w_1(t) + B_2(x)d(t) + D, \\ x_1(t) &= e_1(t), \quad x_2(t) = e_2(t), \quad w_1(t) = \begin{bmatrix} i_{\text{load}}(t) \\ \dot{i}_{\text{load}}(t) \end{bmatrix}, \\ A &= \begin{bmatrix} 0 & 1 \\ -\frac{(R+R_l)}{LC(R+R_c)} & -\frac{L+R_lC(R+R_c)+CRR_c}{LC(R+R_c)} \end{bmatrix}, \\ B_2(x) &= \begin{bmatrix} 0 \\ \frac{R}{LC(R+R_c)} [V_{in} + V_d - R_m i_l(t)] \end{bmatrix}, \\ B_w &= \begin{bmatrix} 0 & 0 \\ -\frac{R_l R}{LC(R+R_c)} & -\frac{R}{C(R+R_c)} \end{bmatrix}, \quad D = \begin{bmatrix} 0 \\ -\frac{R(V_d + V_{\text{ref}}) + R_l V_{\text{ref}}}{LC(R+R_c)} \end{bmatrix}. \end{aligned} \quad (4.3)$$

By Lemma 3.1, this system can be modeled with a two-rule T-S fuzzy system as follows:

Rule 1: if  $i_l(t)$  is about  $I_{\text{min}}$  then:  $\dot{x}(t) = Ax(t) + B_w w_1(t) + B_{21}d(t) + D$ .

Rule 2: if  $i_l(t)$  is about  $I_{\text{max}}$  then:  $\dot{x}(t) = Ax(t) + B_w w_1(t) + B_{22}d(t) + D$ .

and the global T-S fuzzy model can be given by the following:

$$\dot{x}(t) = Ax(t) + B_w w_1(t) + B_{2\mu}d(t) + D, \quad (4.4)$$






Figure 7: Response of the inductance current  $i_l(t)$  of PWM buck converter.

with:

$$w_1(t) = \begin{bmatrix} i_{\text{load}}(t) \\ \dot{i}_{\text{load}}(t) \end{bmatrix}, \quad B_{2\mu} = \sum_{i=1}^2 \mu_i(i_l(t)) B_{2i},$$


$$B_{21} = \begin{bmatrix} 0 \\ \frac{R}{LC(R+R_c)} [V_{in} + V_d - R_m I_{l\min}] \end{bmatrix}, \quad B_{22} = \begin{bmatrix} 0 \\ \frac{R}{LC(R+R_c)} [V_{in} + V_d - R_m I_{l\max}] \end{bmatrix}, \quad (4.5)$$

The output voltage of the DC-DC converter can be controlled by means of variation of duty cycle (Figure 1). The duty cycle is defined by the ratio  $T_{\text{on}}/Ts$ , where  $Ts$  is the frequency of the PWM circuit and  $T_{\text{on}}$  is the time when the MOSFET is on (Figure 5). A transistor gate driver (Figure 1) switches the MOSFET between the conducting (on) and blocking (off) states using a binary signal  $u_b(t)$ . This signal is produced by the modulator. In this operation, the duty cycle is compared with a sawtooth signal  $V_s(t)$  of amplitude equals to 1. Consequently, the duty-cycle is constrained in amplitude between 0 and 1.


Thus, in this application, the control input is subject to actuator saturation with the following saturation:

$$0 \leq d(t) \leq 1, \quad (4.6)$$

which is not a symmetric saturation. However, most results reported in open literature have treated the controller design analysis with symmetric saturation [18–21]. To transform this saturation into a symmetric saturation, authors in [2] have proposed a change of variables to the linear converter model. This idea cannot be used in our case (nonlinear converter model) because it increases the complexity of the control analysis. Here, we will propose another idea that allows a simple analysis thereafter.



**Figure 8:** The trajectory of the error  $e_1(t)$ .



**Figure 9:** The trajectory of the saturated control (duty cycle  $d(t)$ ).

The system described in (4.4) can be written as follows:

$$\begin{aligned} \dot{x}(t) &= Ax(t) + B_w w_1(t) + B_2(x) \left( d(t) - \frac{1}{2} \right) + \frac{1}{2} B_2(x) + D, \\ \dot{x}(t) &= Ax(t) + B_1 w(t) + B_2(x) \delta(t), \end{aligned} \quad (4.7)$$

with

$$\begin{aligned} w(t) &= \frac{1}{2} \frac{R}{LC(R+R_c)} [V_{in} + V_d - R_m i_l(t)] - \frac{R_l R}{LC(R+R_c)} i_{load}(t) \\ &\quad - \frac{R}{C(R+R_c)} \dot{i}_{load}(t) - \frac{R(V_d + V_{ref}) + R_l V_{ref}}{LC(R+R_c)} \end{aligned} \quad (4.8)$$

is the external disturbance,  $B_1 = [0 \ 1]^T$ , and  $\delta(t) = d(t) - 1/2$  is the new control input.

This last system can be represented with the following T-S fuzzy model:

$$\dot{x}(t) = Ax(t) + B_1w(t) + B_{2\mu}\delta(t). \quad (4.9)$$

Thus, the new control input  $\delta(t)$  is constrained as follows:

$$\frac{-1}{2} \leq \delta(t) \leq \frac{1}{2}. \quad (4.10)$$

In this work, the controller is a nonlinear state feedback which shares the same activation functions as the T-S fuzzy model (3.2) of the following form [32]:

$$\begin{aligned} u(t) &= K_\mu x(t), \\ K_\mu &= \sum_{j=1}^r \mu_j(\xi(t)) K_j, \end{aligned} \quad (4.11)$$

where and  $K_j \in \mathfrak{R}^{m \times n}$  is the local controller matrix to be determined.

The control input is subject to actuator saturation the saturation function means:

$$\begin{aligned} \sigma(t) &= \text{sat}(u(t), \bar{u}) = [s_1, s_2, \dots, s_m]^T, \\ s_i &= \text{sign}(u_i) \min\{\bar{u}_i, |u_i|\}, \end{aligned} \quad (4.12)$$

$\bar{u} \in \mathfrak{R}^m$  denotes the saturation level and  $\bar{u}_i$  and  $u_i$  denote the  $i$ th element of  $\bar{u}$  and  $u(t)$ . In our case:

$$\bar{u}_i = \bar{u} = 0.5. \quad (4.13)$$

The saturation obtained in (3.6) is a symmetric saturation and the following lemma can be used to the stability analysis.

**Lemma 4.1** (see [18]). *Let  $E$  be the set of  $m \times m$  diagonal matrices whose diagonal elements are 1 or 0. Suppose that  $|v_i| \leq \bar{u}_i$  for all  $i \in I_m$ , where  $v_i$  and  $u_i$  denote the  $i$ th element of  $v \in \mathfrak{R}^m$  and  $u \in \mathfrak{R}^m$ , respectively. If  $x \in \bigcap_{j=1}^r \mathfrak{S}(H_j)$  for  $x \in \mathfrak{R}^n$ , then:*

$$\begin{aligned} \text{sat}(u, \bar{u}) &= \sum_{s=1}^{2^m} \alpha_s (E_s u + \bar{E}_s v), \\ \sum_{s=1}^{2^m} \alpha_s &= 1, \quad 0 \leq \alpha_s \leq 1, \\ v &= \sum_{j=1}^r \mu_j H_j x, \\ \mathfrak{S}(H_j) &= \left\{ x \in \mathfrak{R}^n \mid |h_i^j x| \leq \bar{u}_i \right\}, \end{aligned} \quad (4.14)$$

where  $E_s$  denotes all elements of  $E$ ,  $\bar{E}_s = I - E_s$ ,  $H_j$  is  $m \times n$  matrix and  $h_i^j$  is the  $i$ th row of the matrix  $H_j$ .

In our case  $m = 1$ ,  $E_s \in \text{co}\{0, 1\}$ ,  $\bar{u}_1$  is the saturation level ( $\bar{u}_1 = 1/2$ ) and  $r$  ( $r = 2$ ) is the number of local models. Consequently, the saturation function in (4.10) can be rewritten as follows:

$$\text{sat}(K_\mu x(t)) = (E_\alpha K_\mu + \bar{E}_\alpha H_\mu)x(t), \quad (4.15)$$

with

$$|h_i^j x| \leq \frac{1}{2}, \quad \forall i \in I_m, j \in I_r, \quad (4.16)$$

and  $H_\mu = \sum_{i=1}^2 \mu_i H_i$ ,  $E_\alpha = \sum_{s=1}^2 \alpha_s E_s$  and  $\bar{E}_\alpha = \sum_{s=1}^2 \alpha_s \bar{E}_s$ .

## 4.2. Quadratic Lyapunov Stability

For a constant  $\rho > 0$  and a symmetric positive matrix  $P$ , define an ellipsoid as follows:

$$\varepsilon(P, \rho) = \{x \in \mathfrak{R}^n \mid x^T P x \leq \rho\}. \quad (4.17)$$

This ellipsoid can be rewritten as follows:

$$\varepsilon(P, \rho) = \{x \in \mathfrak{R}^n \mid x^T \mathbf{P} x \leq 1\} \quad (4.18)$$

$\rho > 0$ , this implied that  $\mathbf{P} = P/\rho \in \mathfrak{R}^{n \times n}$  is a symmetric positive matrix.

We define the Lyapunov function as follows:

$$V(x) = x(t)^T \mathbf{P} x(t). \quad (4.19)$$

An ellipsoid  $\varepsilon(p, \rho)$  is said to be contractively invariant set if  $\dot{V}(x) < 0$ , for all  $x \in \varepsilon(P, \rho) \setminus \{0\}$ . Therefore, if an ellipsoid is contractively invariant, it is inside the domain of attraction.


An ellipsoid  $\varepsilon(P, \rho) = \{x \in \mathfrak{R}^n \mid x^T \mathbf{P} x \leq 1\}$  is inside  $\bigcap_{j=1}^r \mathfrak{S}(H_j)$  if and only if for all  $i \in I_m, j \in I_r$ :

$$\left(h_i^j\right)^T \mathbf{P} h_i^j \leq \bar{u}_i^2 I. \quad (4.20)$$

In order to design a DC-DC converter to perform adequately in the presence of external disturbances, the  $H_\infty$  attenuation performance is chosen as the performance measure, which is defined as follows:

$$\int_0^T z(\tau)^T z(\tau) d\tau < \gamma^2 \int_0^T w(\tau)^T w(\tau) d\tau, \quad (4.21)$$

where  $\gamma$  is a positive scalar and small as possible,  $w(t) \in L_2[0 \ 1]$  and  $x(0) = 0$ .



**Figure 10:** Response of the output voltage  $v_c(t)$  of PWM buck converter for 1 kHz.

In our problem, the controlled output is the error  $e_1(t)$ , that is:

$$z(t) = C_1 x(t), \quad (4.22)$$

where  $C_1 = [0 \ 1]$ . The closed-loop system composed of (4.9), (4.22), and (4.15) is given by the following:

$$\begin{aligned} \dot{x}(t) &= \left( A + B_{2\mu} \left( E_\alpha K_\mu + \bar{E}_\alpha H_\mu \right) \right) x(t) + B_{m1} w(t), \\ z(t) &= C_1 x(t). \end{aligned} \quad (4.23)$$

**Theorem 4.2.** *The ellipsoid  $\varepsilon(P, \rho)$  is contractively invariant set of the closed-loop system (4.15) and achieves in a disturbance rejection level  $\gamma$ , if there exist a symmetric positive definite matrix  $Q$  and matrices  $F_j \in \mathfrak{R}^{m \times n}$ , solutions of the following LMI problem:*

$$\min_{Q, F_j, Z_j'} \quad (4.24)$$

$$\begin{bmatrix} \frac{1}{4} & z_i^j \\ \left( z_i^j \right)^T & Q \end{bmatrix} \geq 0, \quad \forall i \in I_m, j \in I_r \quad (4.25)$$

$$\begin{bmatrix} AQ + B_{2i} E_s F_j + B_{2i} \bar{E}_s Z_j + (*) & * & * \\ B_1^T & -\gamma I & * \\ C_1 Q & 0 & -\gamma I \end{bmatrix} < 0, \quad \forall i \in I_r, j \in I_r. \quad (4.26)$$

Then one gets

$$K_j = F_j Q^{-1}, \quad H_j = Z_j Q^{-1}. \quad (4.27)$$

Using Lemma 3.1 for inequality (4.20), one has:

$$\left(h_i^j\right)^T \mathbf{P} h_i^j \leq \frac{1}{4}, \quad \forall i \in I_m, j \in I_r. \quad (4.28)$$

Let the following change of variables:

$$\mathbf{Q} = \mathbf{P}^{-1}, \quad (4.29)$$

$$\mathbf{Z}_j = H_j \mathbf{Q}. \quad (4.30)$$

Consequently, the inequality (4.28) can be rewritten as follows

$$\frac{\mathbf{Q}}{4} - \left(z_i^j\right)^T z_i^j \geq 0, \quad (4.31)$$

where  $z_i^j$  is the  $i$ th row of the matrix  $\mathbf{Z}_j$ . By Schur complement [33], this last inequality can be transformed as LMI (4.25).

**Proposition 4.3** (see [30]). *If the Lyapunov function defined in (4.19) satisfies the following Hamilton-Jacobi-Bellman inequality:*

$$\dot{V}(x(t)) + \gamma^{-1} z(t)^T z(t) - \gamma w(t)^T w(t) < 0, \quad (4.32)$$

along (4.23) for all  $x(t) \neq 0$  and  $w(t) \in L_2[0 \ 1] \triangleq \{w \in \mathfrak{R}^{nw} \mid \int_0^T \|w\|^2 dt \leq \bar{w}, \bar{w} > 0\}$ , then (4.21) is verified. Using (4.23), one has:

$$\begin{aligned} & \dot{V}(x(t)) - \gamma w(t)^T w(t) + \gamma^{-1} z(t)^T z(t) \\ &= \begin{bmatrix} x(t) \\ w(t) \end{bmatrix}^T \left\{ \begin{bmatrix} \left(A + B_{2\mu} E_s K_\mu + B_{2\mu} \bar{E}_s H_\mu\right)^T \mathbf{P} + (*) & * \\ B_1^T \mathbf{P} & -\gamma I \end{bmatrix} + \gamma^{-1} \begin{bmatrix} C_1^T \\ 0 \end{bmatrix} \begin{bmatrix} C_1 & 0 \end{bmatrix} \right\} \begin{bmatrix} x(t) \\ w(t) \end{bmatrix}. \end{aligned} \quad (4.33)$$

By Schur complement [13], the condition (4.32) holds if

$$\Sigma_\mu = \begin{bmatrix} \mathbf{P}^T \left(A + B_{2\mu} E_s K_\mu + B_{2\mu} \bar{E}_s H_\mu\right) + (*) & * & * \\ B_1^T \mathbf{P} & -\gamma I & * \\ C_1 & 0 & -\gamma I \end{bmatrix} < 0. \quad (4.34)$$

Pre- and postmultiplying this last inequality by  $\Gamma = \text{diag}(Q, I, I)$  one has

$$\Gamma \Sigma_{\mu} \Gamma = \begin{bmatrix} A_i Q + B_{2i} E_s K_j Q + B_{2i} \bar{E}_s H_j Q + (*) & * & * \\ B_1^T & -\gamma I & * \\ C_1 Q & 0 & -\gamma I \end{bmatrix} < 0. \quad (4.35)$$

Taking account (4.27) and (4.30), one gets the following LMI:

$$\Gamma \Sigma_{\mu} \Gamma = \begin{bmatrix} A_{\mu} Q + B_{2\mu} F_{\mu} + (*) & * & * \\ B_1^T & -\gamma I & * \\ C_1 Q & 0 & -\gamma I \end{bmatrix} < 0, \quad (4.36)$$

which ends the proof.

### 4.3. The Initial Conditions Constraint

The main purpose of the DC-DC converter control is to maintain the voltage level  $v_c(t)$  equal to the desired level  $V_{\text{ref}}$ . The initial condition for the state vector is as follows:

$$x_0 = [x_1(0) \ x_2(0)]^T = [e_1(0) \ e_2(0)]^T = [V_{\text{ref}} \ 0]^T. \quad (4.37)$$

However, it is not possible to assure that any initial condition will belong to the ellipsoid of stability given in Theorem 4.2. In this section, the objective is to guarantee the start up stability with maximum elimination of external disturbances in the presence of saturation.

The point  $x_0 \in \varepsilon(P, \rho)$  is equivalent to the following:

$$x_0^T P x_0 \leq 1. \quad (4.38)$$

Or in LMI form by the following:

$$\begin{bmatrix} 1 & x_0^T \\ x_0 & Q \end{bmatrix} \geq 0. \quad (4.39)$$

The optimization problem proposed in Theorem 4.2 can be formulated as follows:

$$\min_{Q, F_j, Z_j}^r \quad (4.40)$$

LMI(4.27), LMI(4.28), LMI(4.41)

### 4.4. Simulation Results

In order to demonstrate the effectiveness of the proposed method, the DC-DC converter is controlled by the proposed  $H_{\infty}$ -based state feedback and the PDC controller proposed in [4].

In this simulation, the current perturbation step equals to 1 A and the PWM frequency equals to 5 kHz.

Solving the optimization problem described in (4.40) for initial condition  $x_0 = [12V \ 0]^T$ , we have:

$$Q = \begin{bmatrix} 817.3975 & -6.1238 \times 10^5 \\ -6.1238 \times 10^5 & 5.5691 \times 10^5 \end{bmatrix}, \quad H_1 = H_2 = [-0.0354 \ 0], \quad (4.41)$$

$$\gamma = 0.7255, \quad K_1 = [-1.4681 \ -0.0016], \quad K_2 = [-1.5030 \ -0.0017].$$

The control is defined by  $d(t) = \text{sat}(K_\mu x(t)) + 1/2$ .

Figures 6, 7, and 8 show the DC-DC converter responses (output voltage and inductance current, resp.). Figure 9 shows the trajectory of the saturated control input signal (duty cycle  $d(t)$ ). Figure 8 shows, with the presence of saturation, the  $H_\infty$  control can guarantee the stability of all initial conditions in the interval  $e_1(0) \in [-12V \ 12V]$  in presence of actuator saturation and external disturbances (see initial time and 0.1 s time).

Simulation results (Figures 6–8) demonstrate that our controller guarantees better stabilization performance, better perturbation rejection (see initial time in Figure 6) and better time response (see Figures 6–8). Moreover, the proposed controller is robust with respect to frequency change. Figure 10 shows the simulation results for a frequency of 1 kHz. It shows that our controller achieves better performance even with different frequency values.

Despite that we take into account not only the actuators saturation but also the external disturbance in the designing control, our controller gives better stabilization performance (perturbation rejection and better time response) of the system as reported in the open literature [4]. Moreover, with different frequency values, our saturated control gives robust control signal (guarantees the same performances despite the change of frequency). These results demonstrate the effectiveness of proposed method.

## 5. Conclusion

This work has presented an  $H_\infty$  controller design for DC-DC converters via state feedback under actuator saturation and external disturbances. The T-S fuzzy system is first used to describe the DC-DC converter. Then, the state controller is designed to guarantee the stability of the closed loop system with  $H_\infty$  performance. The saturation effect is represented by a polytopic model. Based on Lyapunov approach, the problem of  $H_\infty$  stabilization in the presence of actuator saturation was formulated as an LMI optimization and solved easily by using existing numerical tools. Finally, the simulation results on a DC-DC converter have demonstrated the effectiveness of the proposed control.

The analysis given here is applied to the buck converter; we can extend this work to other converters (boost converter, buck-boost converter, Cuk converter, etc.). Finally, the results developed in the paper can be extended to the case that the underlying systems are involved with any switching dynamics such as a nondeterministic or stochastic switching system (see [35–37]).



## References

- [1] H.-S. Kim, J. H. Kim, B. D. Min, D. W. Yoo, and H. J. Kim, "A highly efficient PV system using a series connection of DC-DC converter output with a photovoltaic panel," *Renewable Energy*, vol. 34, no. 11, pp. 2432–2436, 2009.
- [2] C. Olalla, I. Queinnec, R. Leyva, and A. El Aroudi, "Robust optimal control of bilinear DC-DC converters," *Control Engineering Practice*, vol. 19, no. 7, pp. 688–699, 2011.
- [3] J.-K. Kaldellis, "The wind potential impact on the maximum wind energy penetration in autonomous electrical grids," *Renewable Energy*, vol. 33, no. 7, pp. 1665–1677, 2008.
- [4] Y. Li and Z. Ji, "T-S modeling, simulation and control of the Buck converter," in *Proceedings of the 5th International Conference on Fuzzy Systems and Knowledge Discovery, FSKD 2008*, pp. 663–667, Shandong, China, October 2008.
- [5] K. Y. Lian, J. J. Liou, and C. Y. Huang, "LMI-based integral fuzzy control of DC-DC converters," *IEEE Transactions on Fuzzy Systems*, vol. 14, no. 1, pp. 71–80, 2006.
- [6] I. Gadoura, T. Suntio, and K. Zenger, "Model uncertainty and robust control of paralleled DC/DC converters," in *Proceedings of the 15th World IFAC Congress on Power Electronics, Machines and Drives*, pp. 74–79, Barcelona, Spain, April 2002.
- [7] D. Alejo, P. Maussion, and J. Faucher, "Multiple model control of a Buck dc/dc converter," *Mathematics and Computers in Simulation*, vol. 63, no. 3–5, pp. 249–260, 2003.
- [8] K. Guesmi, N. Essounbouli, A. Hamzaoui, J. Zaytoon, and N. Manamanni, "Shifting nonlinear phenomena in a DC-DC converter using a fuzzy logic controller," *Mathematics and Computers in Simulation*, vol. 76, no. 5–6, pp. 398–409, 2008.
- [9] J. Sun and H. Grotstollen, "Averaged modelling of switching power converters: reformulation and theoretical basis," in *Proceedings of the Power electronics specialists Conference*, pp. 1165–1172, Taledo, Spain, 1992.
- [10] A. Shahin, B. Huang, J. P. Martin, S. Pierfederici, and B. Davat, "New non-linear control strategy for non-isolated DC/DC converter with high voltage ratio," *Energy Conversion and Management*, vol. 51, no. 1, pp. 56–63, 2010.
- [11] K. Guesmi, N. Essounbouli, and A. Hamzaoui, "Systematic design approach of fuzzy PID stabilizer for DC-DC converters," *Energy Conversion and Management*, vol. 49, no. 10, pp. 2880–2889, 2008.
- [12] F. D. Tan and R. D. Middlebrook, "Unified model for current-programmed converters," *IEEE Transactions on Power Electronics*, vol. 10, no. 4, pp. 397–408, 1995.
- [13] C. Elmas, O. Deperlioglu, and H. H. Sayan, "Adaptive fuzzy logic controller for DC-DC converters," *Expert Systems with Applications*, vol. 36, no. 2, pp. 1540–1548, 2009.
- [14] P. R. K. Chetty, "Modelling and design of switching regulators," *IEEE Transactions on Aerospace and Electronic Systems*, vol. 18, no. 3, pp. 333–344, 1982.
- [15] H. K. Lam, T. H. Lee, F. H. E. Leung, and P. K. S. Tam, "Fuzzy control of DC-DC switching converters: stability and robustness analysis," in *Proceedings of the 27th Annual Conference of the IEEE Industrial Electronics Society*, Denver, Colo, USA, December 2001.
- [16] H. K. Lam and S. C. Tan, "Stability analysis of fuzzy-model-based control systems: application on regulation of switching DC-DC converter," *IET Control Theory & Applications*, vol. 3, no. 8, pp. 1093–1106, 2009.
- [17] S. Bououden, M. Chadli, S. Filali, and A. El Hajjaji, "Fuzzy model based multivariable predictive control of a variable speed wind turbine: LMI approach," *Renewable Energy*, vol. 37, no. 1, pp. 434–439, 2012.
- [18] Y. Y. Cao and Z. Lin, "Robust stability analysis and fuzzy-scheduling control for nonlinear systems subject to actuator saturation," *IEEE Transactions on Fuzzy Systems*, vol. 11, no. 1, pp. 57–67, 2003.
- [19] D. Saifia, M. Chadli, and S. Labiod, "Static output feedback stabilization of multiple models subject to actuators saturation," in *Proceedings of the 12th IFAC Symposium on Large Scale Systems*, Villeneuve d'Ascq, France, 2011.
- [20] D. Saifia, M. Chadli, and S. Labiod, " $H_\infty$  control of multiple model subject to actuator saturation: application to quarter-car suspension system," *Analog Integrated Circuits and Signal Processing*, pp. 1–10, 2011.
- [21] T. Zhang, G. Feng, H. Liu, and J. Lu, "Piecewise fuzzy anti-windup dynamic output feedback control of nonlinear processes with amplitude and rate actuator saturations," *IEEE Transactions on Fuzzy Systems*, vol. 17, no. 2, pp. 253–264, 2009.
- [22] C. P. Huang, "Model based fuzzy control with affine T-S delayed models applied to nonlinear systems," *International Journal of Innovative Computing*, vol. 8, no. 5, pp. 2979–2993, 2012.

- [23] C.-H. Sun, Y.-T. Wang, C.-C. Chang, and T.-S. Switching, "Fuzzy model-based guaranteed cost control for two-wheeled mobile robots," *International Journal of Innovative Computing A*, vol. 8, no. 5, pp. 3015–3028, 2012.
- [24] L. Wu, X. Su, P. Shi, and J. Qiu, "A new approach to stability analysis and stabilization of discrete-time T-S fuzzy time-varying delay systems," *IEEE Transactions on Systems, Man, and Cybernetics B*, vol. 41, no. 1, pp. 273–286, 2011.
- [25] L. Wu, X. Su, P. Shi, and J. A. Qiu, "Novel approach to filter design for T-S fuzzy discrete-time systems with time-varying delay," *IEEE Transactions on Fuzzy Systems*, vol. PP, no. 99, p. 1, 2012.
- [26] C.-H. Sun, S.-W. Lin, and Y.-T. Wang, "Relaxed stabilization conditions for switching T-S fuzzy systems with practical constraints," *International Journal of Innovative Computing*, vol. 8, no. 6, pp. 4133–4145, 2012.
- [27] X. Su, L. Wu, P. Shi, and Y. D. . Song, " $H_\infty$  model reduction of T-S fuzzy stochastic systems," *IEEE Transactions on Systems, Man, and Cybernetics B*, vol. PP, no. 99, pp. 1–12, 2012.
- [28] L. Wu, X. Su, P. Shi, and J. Qiu, "Model approximation for discrete-time state-delay systems in the TS fuzzy framework," *IEEE Transactions on Fuzzy Systems*, vol. 19, no. 2, pp. 366–378, 2011.
- [29] X. H. Chang and G. H. Yang, "Relaxed results on stabilization and state feedback  $H_\infty$  control conditions for T-S fuzzy systems," *International Journal of Innovative Computing, Information and Control*, vol. 7, no. 4, pp. 1753–1764, 2011.
- [30] H. J. Lee and D. W. Kim, "Robust stabilization of T-S fuzzy systems: fuzzy static output feedback under parametric uncertainty," *International Journal of Control, Automation and Systems*, vol. 7, no. 5, pp. 731–736, 2009.
- [31] M. Chadli and P. Borne, "Design of robust static output controller for uncertain fuzzy model: an LMI formulation," *Studies in Informatics and Control*, vol. 16, pp. 421–430, 2007.
- [32] K. Tanaka, T. Ikeda, and H. O. Wang, "Fuzzy regulators and fuzzy observers: relaxed stability conditions and LMI-based designs," *IEEE Transactions on Fuzzy Systems*, vol. 6, no. 2, pp. 250–265, 1998.
- [33] S. Boyd, L. El Ghaoui, E. Feron, and V. Balakrishnan, *Linear Matrix Inequalities in System and Control Theory*, Society for Industrial and Applied Mathematics (SIAM), Philadelphia, Pa, USA, 1994.
- [34] T. Takagi and M. Sugeno, "Fuzzy identification of systems and its applications to modeling and control," *IEEE Transactions on Systems, Man and Cybernetics*, vol. 15, no. 1, pp. 116–132, 1985.
- [35] L. Zhang and J. Lam, "Necessary and sufficient conditions for analysis and synthesis of Markov jump linear systems with incomplete transition descriptions," *IEEE Transactions on Automatic Control*, vol. 55, no. 7, pp. 1695–1701, 2010.
- [36] L. Zhang and P. Shi, "Stability, L2-gain and asynchronous  $H_\infty$  control of discrete-time switched systems with average dwell time," *IEEE Transactions on Automatic Control*, vol. 54, no. 9, pp. 2192–2199, 2009.
- [37] L. Zhang, N. Cui, M. Liu, and Y. Zhao, "Asynchronous filtering of discrete-time switched linear systems with average dwell time," *IEEE Transactions on Circuits and Systems*, vol. 58, no. 5, pp. 1109–1118, 2011.